

Albert Ziegler GmbH · Giengen/Brenz · Germany

Six new ZIEGLER HLF 20 all at once

The Göttingen Fire Department is expanding its fleet with ZIEGLER vehicles

Giengen, March 2026 – ZIEGLER has delivered six new HLF 20 firefighting vehicles to the Göttingen Professional and Volunteer Fire Departments. By procuring these identical firefighting vehicles, the city of Göttingen is sending a clear signal of its commitment to the ongoing modernization of its firefighting equipment.

The new vehicles will form an important part of the emergency fleet in the future and are designed for a variety of operational scenarios. Whether for firefighting or technical rescue – the new ZIEGLER HLF 20 combine powerful firefighting technology with comprehensive equipment tailored precisely for this purpose.

The HLF 20 are built on a MAN TGM 13.320 4x4 BL chassis with 235 kW (320 HP) engine power and a wheelbase of 3,950 mm. The superstructure is based on the latest-generation of ALPAS and is controlled via the Z-Control operating concept.

The crew is accommodated in the ZIEGLER Z-Cab with a group crew (1+7), which is easily accessible via a three-step entry system

The built-in ZIEGLER FPN Z-Pump 10-2000-1H is complemented by a water tank with a capacity of 1,600 liters. In addition, a 120-liter foam tank is available. This ensures that the vehicles are ideally equipped for both conventional firefighting operations and other operations involving foam.



Albert Ziegler GmbH · Giengen/Brenz · Germany

Numerous practical solutions have also been integrated for day-to-day operations – including a swivel wall in the equipment compartment, a PUSH hygiene board, a roof box, an Action Tower, and a 230-volt cable reel with 40 meters of cable. Digital components also play a role: The Z-Connect digital operational management system allows for the efficient management of vehicle and incident data.

“Implementing six identical HLF 20 in a single project is something special for us as well,” says Markus Kulick, Area Sales Manager at ZIEGLER. “We are very pleased to be able to support the fire departments in Göttingen in the further development of their vehicle fleet.”

With the commissioning of the new vehicles, the city of Göttingen is sustainably strengthening its operational readiness while simultaneously creating modern and future-proof working conditions for its emergency personnel.

Contact

Vanessa Augustin
Communications & PR
vaugustin@ziegler.de
Phone +49 7322 951-289

About ZIEGLER

ZIEGLER is a leading international provider of professional state-of-the-art solutions for firefighting, emergency and rescue management and is dedicated to making the world safe and protecting lives. The comprehensive and professional product range covers all kinds of emergency vehicles, highly specialized pumping and fire extinguishing systems, control and operation solutions up to firefighting equipment and services. Out of currently more than 1,200 employees worldwide, around 600 are employed at our headquarters in Giengen/Brenz, Germany. Other ZIEGLER manufacturing facilities are located in Germany (Rendsburg and Mühlau) as well as the Netherlands, Croatia, Italy and Indonesia. www.ziegler.de

Albert Ziegler GmbH · Giengen/Brenz · Germany

Technical data

HLF 20 Göttingen

Basic information	HLF 20 – Göttingen Professional and Volunteer Fire Department
Customer	City of Göttingen
Chassis	TGM 13.320 4×4 BL
Emissions standard	EURO 6
Engine power	235 kW / 320 HP
Wheelbase	3,950 mm
Vehicle dimensions	860 × 2.500 × 3.300 mm
Superstructure	ALPAS of the latest generation
Operating concept	Z-Control of the latest generation
Cabin / Crew	ZIEGLER Z-Cab with Group size: 1+7 (3-step entry)
Permissible weight	16,000 kg
Water tank	1,600 l with drinking water protection
Pump	FPN Z-Pump 10-2000-1H with Trokomat
Special Features	<ul style="list-style-type: none">▪ LED beacon lights Z-Vision Side▪ Auxiliary heater Webasto, 4 kW▪ Rearview camera and lane-change assist▪ Rear warning system with 6 LED flashing lights▪ Pneumatic light mast on the front of the cargo compartment▪ Hygiene-Board PUSH▪ Standardized pump control panel (SPBF)▪ Action Tower▪ Admixing system Z-Foam S 12▪ Z-Pump 10-2000-1H▪ 120-liter foam tank with filling system▪ Power supply Leab PowAirBox 230 V▪ Z-Rack helmet holder▪ Digital operation management system Z-Connect▪ Winch TR30/7, 1-gear Rotzler, 50kN